

SAFETY DATA SHEET

BLACKFAST 933 WATER SOLUBLE EMULSION OIL

Page: 1

Creation Date: 2016-06-01

Revision Date: 2021-05-06

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: BLACKFAST 933 WATER SOLUBLE EMULSION OIL

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: In use this product should be diluted to 20% with water PC24: Lubricants, greases, release products.

1.3. Details of the supplier of the safety data sheet

Manufacturer: Blackfast Chemicals Ltd.

Unit 5 Russell House

Molesey Road

Walton-on-Thames

Surrey

KT12 3PE

UK

Tel: +44 (0)208 339 7370

Fax: +44 (0)208 339 7371

Email: sales@blackfast.com

CAN/USA Reseller: e-Black Solutions

13 Whitehall Lane

Cambridge

Ontario

N1R 8N3

CANADA

Tel: 1-866-878-8886

Fax: 1-866-290-3642

Email: certification@e-blacksolutions.com

1.4. Emergency telephone number

Emergency Tel: +44(0)1865 407333

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Eye Irrit. 2: H319; Aquatic Chronic 3: H412; Skin Irrit. 2: H315; -: EUH208

Most important adverse effects: Causes skin irritation. Causes serious eye irritation. Harmful to aquatic life with long lasting effects. Contains tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5 (1h,3h)-dione. May produce an allergic reaction.

2.2. Label elements

Label elements:

Hazard statements: H315: Causes skin irritation.

H319: Causes serious eye irritation.

H412: Harmful to aquatic life with long lasting effects.

EUH208: Contains tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5 (1h,3h)-dione. May produce an allergic reaction.

[cont...]

SAFETY DATA SHEET

BLACKFAST 933 WATER SOLUBLE EMULSION OIL

Page: 2

Hazard pictograms: GHS07: Exclamation mark



Signal words: WARNING

Precautionary statements: P264: Wash thoroughly after handling.
P273: Avoid release to the environment.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P302+352: IF ON SKIN: Wash with plenty of water/.
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

BASE OIL - UNSPECIFIED - LUBRICATING OILS

EINECS	CAS	PBT / WEL	CLP Classification	Percent
278-012-2	74869-22-0	-	-	30-40%

AMINE NEUTRALISED CARBOXYLIC ACIDS

-	-	-	Skin Irrit. 2: H315; Eye Irrit. 2: H319	5-10%
---	---	---	---	-------

SODIUM SULPHONATE (933) - REACH registered number(s): 01-2119527859-22-XXXX

271-781-5	68608-26-4	-	Eye Irrit. 2: H319	5-10%
-----------	------------	---	--------------------	-------

2-[2-(2-BUTOXYETHOXY)ETHOXY]ETHANOL - REACH registered number(s): 01-2119475107-38-XXXX

205-592-6	143-22-6	-	Eye Dam. 1: H318	<3%
-----------	----------	---	------------------	-----

2,6-DITERT-BUTYL-P-CRESOL - REACH registered number(s): 01-2119555270-46-XXXX

204-881-4	128-37-0	-	Aquatic Acute 1: H400; Aquatic Chronic 1: H410	<3%
-----------	----------	---	--	-----

POLY(OXY-1,2-EHANEDIYL)

-	9046-09-7	-	Eye Dam. 1: H318; Aquatic Chronic 3: H412	<3%
---	-----------	---	---	-----

[cont...]

SAFETY DATA SHEET

BLACKFAST 933 WATER SOLUBLE EMULSION OIL

Page: 3

ETHANOL, 2,2'-[[3-[(2-HYDROXYETHYL)AMINO]PROPYL]IMINO]BIS-, N-TALLOW ALKYL DERIVS

291-275-8	90367-27-4	-	Acute Tox. 4: H302; Skin Corr. 1B: H314; Eye Dam. 1: H318; Aquatic Acute 1: H400	<3%
-----------	------------	---	--	-----

TETRAHYDRO-1,3,4,6-TETRAKIS(HYDROXYMETHYL)IMIDAZO[4,5-D]IMIDAZOLE-2,5(1H,3H)-DIONE

226-408-0	5395-50-6	-	Skin Sens. 1: H317; Aquatic Chronic 2: H411	<3%
-----------	-----------	---	--	-----

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

Ingestion: Do not induce vomiting. Wash out mouth with water. If unconscious and breathing is OK, place in the recovery position. Consult a doctor.

Inhalation: Remove from exposure ensuring one's own safety whilst doing so. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely.

Ingestion: Nausea and stomach pain may occur. There may be vomiting and diarrhoea.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Dry chemical powder.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes of carbon dioxide / carbon monoxide. In combustion emits toxic fumes of nitrogen oxides. In combustion emits toxic fumes of sulphur oxides.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

[cont...]

SAFETY DATA SHEET

BLACKFAST 933 WATER SOLUBLE EMULSION OIL

Page: 4

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Polyethylene.

7.3. Specific end use(s)

Specific end use(s): PC24: Lubricants, greases, release products.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

2,6-DITERT-BUTYL-P-CRESOL

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
USA	10mg/m ³	-	-	-

DNEL/PNEC Values

Hazardous ingredients:

2-[2-(2-BUTOXYETHOXY)ETHOXY]ETHANOL

Type	Exposure	Value	Population	Effect
------	----------	-------	------------	--------

[cont...]

SAFETY DATA SHEET

BLACKFAST 933 WATER SOLUBLE EMULSION OIL

Page: 5

DNEL	Inhalation	30.5mg/m ³	-	Local
DNEL	Inhalation	24mg/m ³	-	Systemic

2,6-DITERT-BUTYL-P-CRESOL

Type	Exposure	Value	Population	Effect
DNEL	Inhalation	3.5mg/m ³	-	Systemic

8.2. Exposure controls

Engineering measures: Ensure there is exhaust ventilation of the area.

Respiratory protection: Respiratory protection not required.

Hand protection: Nitrile gloves. Breakthrough time of the glove material > 8 hours.

Eye protection: Safety glasses with side-shields. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Environmental: Ensure emissions from ventilation or equipment comply with environmental protection legislation.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Red-brown

Odour: Barely perceptible odour

Solubility in water: No data available.

Kinematic viscosity: 65

Flash point°C: >100 >212F

Relative density: 1

pH: 9.2

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

[cont...]

SAFETY DATA SHEET

BLACKFAST 933 WATER SOLUBLE EMULSION OIL

Page: 6

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Relevant hazards for substance:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely.

Ingestion: Nausea and stomach pain may occur. There may be vomiting and diarrhoea.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Eco toxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bio accumulative potential

Bio accumulative potential: No data available.

12.4. Mobility in soil

Mobility: Non-volatile.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: No data available.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

Waste code number: 13 08 99

[cont...]

SAFETY DATA SHEET

BLACKFAST 933 WATER SOLUBLE EMULSION OIL

Page: 7

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EC) No 1272/2008.

Phrases used in s.2 and s.3: EUH208: Contains <name of sensitising substance>. May produce an allergic reaction.

H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.