

# SAFETY DATA SHEET

BLACKFAST 933 WATER SOLUBLE EMULSION OIL

Page: 1

Creation Date: 2016-06-01

Revision Date: 2021-07-07

## Section 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Product name:** BLACKFAST 933 WATER SOLUBLE EMULSION OIL

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Use of substance / mixture:** In use this product should be diluted to 20% with water PC24: Lubricants, greases, release products.

### 1.3. Details of the supplier of the safety data sheet

**Manufacturer:** Blackfast Chemicals Ltd.

Unit 5 Russell House

Molesey Road

Walton-on-Thames

Surrey

KT12 3PE

UK

**Tel:** +44 (0)208 339 7370

**Fax:** +44 (0)208 339 7371

**Email:** sales@blackfast.com

**CAN/USA Reseller:** e-Black Solutions

13 Whitehall Lane

Cambridge

Ontario

N1R 8N3

CANADA

**Tel:** 1-866-878-8886

**Fax:** 1-866-290-3642

**Email:** certification@e-blacksolutions.com

### 1.4. Emergency telephone number

**Emergency Tel:** +44(0)1865 407333

## Section 2: Hazards identification

### 2.1. Classification of the substance or mixture

**Classification under CLP:** Eye Irrit. 2: H319; Aquatic Chronic 3: H412; Skin Irrit. 2: H315; -: EUH208

**Most important adverse effects:** Causes skin irritation. Causes serious eye irritation. Harmful to aquatic life with long lasting effects. Contains tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5 (1h,3h)-dione. May produce an allergic reaction.

### 2.2. Label elements

**Label elements:**

**Hazard statements:** H315: Causes skin irritation.

H319: Causes serious eye irritation.

H412: Harmful to aquatic life with long lasting effects.

EUH208: Contains tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5 (1h,3h)-dione. May produce an allergic reaction.

[cont...]

# SAFETY DATA SHEET

BLACKFAST 933 WATER SOLUBLE EMULSION OIL

Page: 2

Hazard pictograms: GHS07: Exclamation mark



Signal words: WARNING

Precautionary statements: P264: Wash thoroughly after handling.  
P273: Avoid release to the environment.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P302+352: IF ON SKIN: Wash with plenty of water/.  
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

## 2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients:

BASE OIL - UNSPECIFIED - LUBRICATING OILS

EINECS	CAS	PBT / WEL	CLP Classification	Percent
278-012-2	74869-22-0	-	-	30-40%

AMINE NEUTRALISED CARBOXYLIC ACIDS

-	-	-	Skin Irrit. 2: H315; Eye Irrit. 2: H319	5-10%
---	---	---	---	-------

SODIUM SULPHONATE (933) - REACH registered number(s): 01-2119527859-22-XXXX

271-781-5	68608-26-4	-	Eye Irrit. 2: H319	5-10%
-----------	------------	---	--------------------	-------

2-[2-(2-BUTOXYETHOXY)ETHOXY]ETHANOL - REACH registered number(s): 01-2119475107-38-XXXX

205-592-6	143-22-6	-	Eye Dam. 1: H318	<3%
-----------	----------	---	------------------	-----

2,6-DITERT-BUTYL-P-CRESOL - REACH registered number(s): 01-2119555270-46-XXXX

204-881-4	128-37-0	-	Aquatic Acute 1: H400; Aquatic Chronic 1: H410	<3%
-----------	----------	---	--	-----

POLY(OXY-1,2-EHANEDIYL)

-	9046-09-7	-	Eye Dam. 1: H318; Aquatic Chronic 3: H412	<3%
---	-----------	---	---	-----

[cont...]

# SAFETY DATA SHEET

BLACKFAST 933 WATER SOLUBLE EMULSION OIL

Page: 3

ETHANOL, 2,2'-[[3-[(2-HYDROXYETHYL)AMINO]PROPYL]IMINO]BIS-, N-TALLOW ALKYL DERIVS

291-275-8	90367-27-4	-	Acute Tox. 4: H302; Skin Corr. 1B: H314; Eye Dam. 1: H318; Aquatic Acute 1: H400	<3%
-----------	------------	---	--	-----

TETRAHYDRO-1,3,4,6-TETRAKIS(HYDROXYMETHYL)IMIDAZO[4,5-D]IMIDAZOLE-2,5(1H,3H)-DIONE

226-408-0	5395-50-6	-	Skin Sens. 1: H317; Aquatic Chronic 2: H411	<3%
-----------	-----------	---	--	-----

## Section 4: First aid measures

### 4.1. Description of first aid measures

**Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

**Ingestion:** Do not induce vomiting. Wash out mouth with water. If unconscious and breathing is OK, place in the recovery position. Consult a doctor.

**Inhalation:** Remove from exposure ensuring one's own safety whilst doing so. Consult a doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be pain and redness. The eyes may water profusely.

**Ingestion:** Nausea and stomach pain may occur. There may be vomiting and diarrhoea.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

### 4.3. Indication of any immediate medical attention and special treatment needed

**Immediate / special treatment:** Eye bathing equipment should be available on the premises.

## Section 5: Fire-fighting measures

### 5.1. Extinguishing media

**Extinguishing media:** Dry chemical powder.

### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** In combustion emits toxic fumes of carbon dioxide / carbon monoxide. In combustion emits toxic fumes of nitrogen oxides. In combustion emits toxic fumes of sulphur oxides.

### 5.3. Advice for fire-fighters

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

## Section 6: Accidental release measures

[cont...]

# SAFETY DATA SHEET

BLACKFAST 933 WATER SOLUBLE EMULSION OIL

Page: 4

## 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

## 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

## 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

## 6.4. Reference to other sections

**Reference to other sections:** Refer to section 8 of SDS.

## Section 7: Handling and storage

### 7.1. Precautions for safe handling

**Handling requirements:** Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in a cool, well ventilated area. Keep container tightly closed.

**Suitable packaging:** Polyethylene.

### 7.3. Specific end use(s)

**Specific end use(s):** PC24: Lubricants, greases, release products.

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

**Hazardous ingredients:**

**2,6-DITERT-BUTYL-P-CRESOL**

**Workplace exposure limits:**

**Respirable dust**

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
USA	10mg/m <sup>3</sup>	-	-	-

### DNEL/PNEC Values

**Hazardous ingredients:**

**2-[2-(2-BUTOXYETHOXY)ETHOXY]ETHANOL**

Type	Exposure	Value	Population	Effect
------	----------	-------	------------	--------

[cont...]

# SAFETY DATA SHEET

BLACKFAST 933 WATER SOLUBLE EMULSION OIL

Page: 5

DNEL	Inhalation	30.5mg/m <sup>3</sup>	-	Local
DNEL	Inhalation	24mg/m <sup>3</sup>	-	Systemic

## 2,6-DITERT-BUTYL-P-CRESOL

Type	Exposure	Value	Population	Effect
DNEL	Inhalation	3.5mg/m <sup>3</sup>	-	Systemic

## 8.2. Exposure controls

**Engineering measures:** Ensure there is exhaust ventilation of the area.

**Respiratory protection:** Respiratory protection not required.

**Hand protection:** Nitrile gloves. Breakthrough time of the glove material > 8 hours.

**Eye protection:** Safety glasses with side-shields. Ensure eye bath is to hand.

**Skin protection:** Protective clothing.

**Environmental:** Ensure emissions from ventilation or equipment comply with environmental protection legislation.

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**State:** Liquid

**Colour:** Red-brown

**Odour:** Barely perceptible odour

**Solubility in water:** No data available.

**Kinematic viscosity:** 65

**Flash point°C:** >100 >212F

**Relative density:** 1

**pH:** 9.2

### 9.2. Other information

**Other information:** No data available.

## Section 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.

### 10.2. Chemical stability

**Chemical stability:** Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

### 10.4. Conditions to avoid

**Conditions to avoid:** Heat.

[cont...]

# SAFETY DATA SHEET

BLACKFAST 933 WATER SOLUBLE EMULSION OIL

Page: 6

## 10.5. Incompatible materials

**Materials to avoid:** Strong oxidising agents. Strong acids.

## 10.6. Hazardous decomposition products

**Haz. decomp. products:** In combustion emits toxic fumes.

## Section 11: Toxicological information

### 11.1. Information on toxicological effects

**Relevant hazards for substance:**

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

### Symptoms / routes of exposure

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be pain and redness. The eyes may water profusely.

**Ingestion:** Nausea and stomach pain may occur. There may be vomiting and diarrhoea.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

## Section 12: Ecological information

### 12.1. Toxicity

**Eco toxicity values:** No data available.

### 12.2. Persistence and degradability

**Persistence and degradability:** Biodegradable.

### 12.3. Bio accumulative potential

**Bio accumulative potential:** No data available.

### 12.4. Mobility in soil

**Mobility:** Non-volatile.

### 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

### 12.6. Other adverse effects

**Other adverse effects:** No data available.

## Section 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**Waste code number:** 13 08 99

[cont...]

# SAFETY DATA SHEET

BLACKFAST 933 WATER SOLUBLE EMULSION OIL

Page: 7

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## Section 14: Transport information

**Transport class:** This product does not require a classification for transport.

## Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Specific regulations:** Not applicable.

### 15.2. Chemical Safety Assessment

## Section 16: Other information

### Other information

**Other information:** This safety data sheet is prepared in accordance with Commission Regulation (EC) No 1272/2008.

**Phrases used in s.2 and s.3:** EUH208: Contains <name of sensitising substance>. May produce an allergic reaction.

H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.