

# SAFETY DATA SHEET

BLACKFAST 626      HOT ALKALINE CLEANER

Page: 1

Creation Date: 2016-06-01

Revision Date: 2022-01-24

## Section 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Product name:** BLACKFAST 626      POWDER CLEANER

**Product code:** 626

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Use of substance / mixture:** In use dilute to 4-9% with water. PC35: Washing and cleaning products (including solvent based products).

### 1.3. Details of the supplier of the safety data sheet

**Manufacturer:** Blackfast Chemicals Ltd.

Unit 5 Russell House

Molesey Road

Walton-on-Thames

Surrey

KT12 3PE

UK

**Tel:** +44 (0)208 339 7370

**Fax:** +44 (0)208 339 7371

**Email:** sales@blackfast.com

**CAN/USA Reseller:** e-Black Solutions

13 Whitehall Lane

Cambridge

Ontario

N1R 8N3

CANADA

**Tel:** 1-866-878-8886

**Fax:** 1-866-290-3642

**Email:** certification@e-black solutions.com

### 1.4. Emergency telephone number

**Emergency Tel:** +44(0)1865 407333

## Section 2: Hazards identification

### 2.1. Classification of the substance or mixture

**Classification under CLP:** Skin Corr. 1A: H314; Eye Dam. 1: H318; Met. Corr. 1: H290

**Most important adverse effects:** Causes severe skin burns and eye damage. Causes serious eye damage. May be corrosive to metals.

### 2.2. Label elements

**Label elements:**

**Hazard statements:** H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

H290: May be corrosive to metals.

**Hazard pictograms:** GHS05: Corrosion

[cont...]

# SAFETY DATA SHEET

BLACKFAST 626 HOT ALKALINE CLEANER

Page: 2



**Signal words:** DANGER

**Precautionary statements:** P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P260: Do not breathe dust/fumes/gas/mist/vapours/spray.  
P301+330+331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310: Immediately call a POISON CENTER/doctor.

## 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients:

SODIUM HYDROXIDE - REACH registered number(s): 01-2119457892-27-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent
215-185-5	1310-73-2	-	Skin Corr. 1A: H314	40-50%

SODIUM CARBONATE - REACH registered number(s): 01-2119485498-19-XXXX

207-838-8	497-19-8	-	Eye Irrit. 2: H319	20-30%
-----------	----------	---	--------------------	--------

## Section 4: First aid measures

### 4.1. Description of first aid measures

**Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning.

**Eye contact:** Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

**Ingestion:** Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.

**Inhalation:** Remove from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.

[cont...]

## SAFETY DATA SHEET

BLACKFAST 626 HOT ALKALINE CLEANER

Page: 3

### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be irritation and redness at the site of contact. Blistering may occur. Severe burns may occur.

**Eye contact:** There may be pain and redness.

**Ingestion:** There may be soreness and redness of the mouth and throat. Corrosive burns may appear around the lips. There may be vomiting and diarrhoea.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

### 4.3. Indication of any immediate medical attention and special treatment needed

**Immediate / special treatment:** Eye bathing equipment should be available on the premises.

## Section 5: Fire-fighting measures

### 5.1. Extinguishing media

**Extinguishing media:** Carbon dioxide. Alcohol or polymer foam. Dry chemical powder.

### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** Corrosive. In combustion emits toxic fumes.

### 5.3. Advice for fire-fighters

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

## Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not create dust.

### 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Transfer to a suitable container. Wash down the drain with large amounts of water.

### 6.4. Reference to other sections

**Reference to other sections:** Refer to section 8 of SDS.

## Section 7: Handling and storage

### 7.1. Precautions for safe handling

**Handling requirements:** Ensure there is sufficient ventilation of the area. Avoid the formation or spread of dust in the air. Avoid direct contact with the substance.

[cont...]

# SAFETY DATA SHEET

BLACKFAST 626 HOT ALKALINE CLEANER

Page: 4

## 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in a cool, well ventilated area. Keep container tightly closed.

**Suitable packaging:** Polyethylene.

## 7.3. Specific end use(s)

**Specific end use(s):** PC35: Washing and cleaning products (including solvent based products).

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

**Hazardous ingredients:**

**SODIUM HYDROXIDE**

**Workplace exposure limits:**

**Respirable dust**

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
USA	-	2 mg/m3	-	-

### DNEL/PNEC Values

**Hazardous ingredients:**

**SODIUM HYDROXIDE**

Type	Exposure	Value	Population	Effect
DNEL	Inhalation	1mg/m3	-	Local

**SODIUM CARBONATE**

Type	Exposure	Value	Population	Effect
DNEL	Inhalation	10mg/m3	-	Local

### 8.2. Exposure controls

**Engineering measures:** Ensure there is exhaust ventilation of the area.

**Respiratory protection:** Self-contained breathing apparatus must be available in case of emergency.

**Hand protection:** Protective gloves. Heat resistant gloves. Breakthrough time of the glove material > 8 hours.

**Eye protection:** Face-shield. Ensure eye bath is to hand.

**Skin protection:** Protective clothing with elasticated cuffs and closed neck. Boots made of PVC. Ensure safety shower is to hand.

**Environmental:** Prevent from entering in public sewers or the immediate environment.

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**State:** Powder

**Colour:** White

**Odour:** Barely perceptible odour

**Oxidising:** Non-oxidising (by EC criteria)

[cont...]

# SAFETY DATA SHEET

BLACKFAST 626 HOT ALKALINE CLEANER

Page: 5

Solubility in water: Soluble

pH: 14

## 9.2. Other information

Other information: No data available.

## Section 10: Stability and reactivity

### 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

### 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.  
Decomposition may occur on exposure to conditions or materials listed below.

### 10.4. Conditions to avoid

Conditions to avoid: Moist air.

### 10.5. Incompatible materials

Materials to avoid: Magnesium. Aluminium.

### 10.6. Hazardous decomposition products

## Section 11: Toxicological information

### 11.1. Information on toxicological effects

#### Hazardous ingredients:

#### SODIUM HYDROXIDE

IPR	MUS	LD50	40	mg/kg
ORL	RBT	LDLO	500	mg/kg

#### SODIUM CARBONATE

ORL	RAT	LD50	4090	mg/kg
-----	-----	------	------	-------

#### Relevant hazards for substance:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

## Symptoms / routes of exposure

**Skin contact:** There may be irritation and redness at the site of contact. Blistering may occur. Severe burns may occur.

**Eye contact:** There may be pain and redness.

[cont...]

## SAFETY DATA SHEET

BLACKFAST 626 HOT ALKALINE CLEANER

Page: 6

**Ingestion:** There may be soreness and redness of the mouth and throat. Corrosive burns may appear around the lips. There may be vomiting and diarrhoea.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

### Section 12: Ecological information

#### 12.1. Toxicity

**Hazardous ingredients:**

**SODIUM HYDROXIDE**

FISH	96H LC50	196	mg/l
------	----------	-----	------

**SODIUM CARBONATE**

FISH	96H LC50	300	mg/l
------	----------	-----	------

#### 12.2. Persistence and degradability

**Persistence and degradability:** Biodegradable in part only.

#### 12.3. Bio accumulative potential

**Bio accumulative potential:** No data available.

#### 12.4. Mobility in soil

**Mobility:** Soluble in water.

#### 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

#### 12.6. Other adverse effects

**Other adverse effects:** No data available.

### Section 13: Disposal considerations

#### 13.1. Waste treatment methods

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**Waste code number:** 06 02 04

**Disposal of packaging:** Arrange for collection by specialised disposal company.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

### Section 14: Transport information

#### 14.1. UN number

**UN number:** UN3262

[cont...]

## SAFETY DATA SHEET

BLACKFAST 626 POWDER CLEANER

Page: 7

### 14.2. UN proper shipping name

**Shipping name:** CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.  
(SODIUM HYDROXIDE 50%)

### 14.3. Transport hazard class(es)

**Transport class:** 8

### 14.4. Packing group

**Packing group:** II

### 14.5. Environmental hazards

**Environmentally hazardous:** No

**Marine pollutant:** No

### 14.6. Special precautions for user

**Special precautions:** No special precautions.

**Tunnel code:** E

**Transport category:** 2

## Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

## Section 16: Other information

### Other information

**Other information:** This safety data sheet is prepared in accordance with Commission Regulation (EC) No 1272/2008.

**Phrases used in s.2 and s.3:** H290: May be corrosive to metals.  
H314: Causes severe skin burns and eye damage.  
H318: Causes serious eye damage.  
H319: Causes serious eye irritation.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.