MATERIAL SAFETY DATA SHEET PAGE 1 SECTION 1 - PRODUCT INFORMATION **Blackfast Chemicals** ++44(0)20 83397370 Manufacturers name Telephone number Unit B, 121 Roebuck Road, Chessington, Surrey, UK, KT9 1EU Address (Number, Street, City, Province/State, Postal/zip code) Product ID # **BLACKFAST 626 HOT ALKALINE CLEANER** 626, 626-U, 626-10Kg, Product identification Degreasing of iron and steel Size: 10 Kg Bag, 20 Kg Box Product use Suppliers name: e-Black Solutions Emergency #: 1-866-878-8886 Address: 97 Wilkes Street, Brantford, Ontario, Canada N3T 4W2 SECTION 2 - HAZARDOUS INGREDIENTS HAZARDOUS INGREDIENTS % CAS NUMBER LD50 OF INGREDIENT < 10% (w/w) **Sodium Hydroxide Powder** 1310-73-02 Oral Rat 1300 mg/kg

SECTION 3 – PHYSICAL DATA								
Solid Physical state	Odourless Off-White Deliquescent Powder Odour and appearance			NA Odor threshold				
NA Vapor pressure	NA Vapor density	NA Evaporation rate	Boiling point		Freezing Point			
14 (1% Sol.) pH	NA Specific Gravity		Complete Solubility / Miscibility in water					

SECTION 4 – FIRE OR EXPLOSION HAZARD							
Conditions of Flammability: Not Flammable. Will not support combustion.							
Means of extinction: NA							
NA	NA		NA				
Flash point and method	Upper flammable limit		Lower flammable limit				
NA		NA					
Auto-ignition temperature			Hazardous combustion products				
Explosion Data:		Sensitivity to mechanical impact: NO		Sensitivity to static discharge: NO			

SECTION 5 – REACTIVITY DATA

Chemical stability: Stable under normal conditions.

Incompatibility with other substances: **NE**

Reactivity and under what conditions?: Exothermic reaction with water. Considerable heat is generated. Reacts in solution with Aluminum and Magnesium with Hydrogen evolution. Hydrogen can form explosive mixtures in the air.

Hazardous decomposition products: NA

SECTION 6 – HEALTH HAZARD DATA (TOXICOLOGICAL PROPERTIES)

Route of entry: Skin contact, eye contact, inhalation & ingestion.

SKIN: Causes burns, which are slow to heal and leave a scar.

EYES: Causes severe damage, permanently impaired vision or loss of sight.

INHALATION: Dust or fumes may cause damage to upper respiratory tract and lungs.

INGESTION: Causes severe tissue and organ damage.

SECTION 6 – HEALTH HAZARD DATA (TOXICOLOGICAL PROPERTIES) - Continued

Effects of acute exposure to the product: NE					
Effect of chronic exposure to product: NE					
NaOH (pure) 8 hr TWA 2 mg/m ³	NE	NE	NA		
OSHA (PELs) Exposure limits	Irritancy of product	Sensitization to product	Carcinogenicity		
NA	NA	NA	NA		
Teratogenicity	Reproductive toxicity	Mutagenicity	Synergistic products		

SECTION 7 - PREVENTIVE MEASURES						
Personal protective equipment:						
PVC GLOVES	DUST MASK	SAFETY GOGGLES or FACE MASK				
Gloves (specify)	Respirator (specify)	Eyes (specify)				
ALKALI RESISTANT BOOTS Footwear (specify)	RUBBER APRON Clothing (specify)	CLEAN COVERALLS Other (specify)				

Engineering controls: Local exhaust ventilation is recommended for dust or steam from processing tanks. Provide eye wash and hose or shower facilities.

Leak and spill procedure: Neutralize small amounts with dilute hydrochloric acid and flush into sewer. Shovel large amounts into steel or plastic containers and dispose as special waste in consultation with local waste disposal authorities. Wash the contaminated area with dilute hydrochloric acid and flush into sewer.

Waste disposal: Disposal must be in accordance with local and national legislation. Dispose through an authorized waste contractor to a licensed site.

Handling procedures end equipment: Avoid contact with skin and eyes. Avoid inhalation or ingestion. Use in a manner least likely to create dust. When making additions to working solutions, allow the solution to cool first. Otherwise there is a high risk of splashback. Dust mask should be used for occasional exposure but must be changed frequently to avoid concentration of caustic particles on the face.

Storage requirements: Store in clean, dry conditions. Keep separate from foodstuffs. Keep container closed and ensure label intact and legible. Cover when not in use. Do not allow to come in contact with Aluminum, Zinc, Magnesium or their alloys.

Shipping information No special precautions are necessary.



WHMIS CLASSIFICATION: N/A (Not Controlled) (Xi Irritant)

SECTION 8 - FIRST AID MEASURES

Specific measures:

INHALATION: Remove from the contaminated atmosphere to fresh air. In case of doubt or severe exposure, seek medical attention.

INGESTION: Gargle, rinse mouth and drink large amounts of water. Do not induce vomiting. Seek medical aid. SKIN: Remove contaminated clothing taking care not to transfer material to unaffected areas. Wash well with Copious amounts of water. If burn persists, seek medical aid.

EYES: In case of contact with eyes, flush immediately with plenty of water for at least 15 minutes, followed by boric acid solution holding the eyelid open. Seek immediate medical aid.

SECTION 9 - PREPARATION INFORMATION

e-Black Solutions Tel: 1-866-878-8886 June 2023, replaces all previous issues

Note: NA: Not Applicable NE: Not Established

THE INFORMATION CONTAINED HEREIN DERIVES FROM DATA CONSIDERED TO THE BEST OF KNOWLEDGE TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA OR THE RESULTS OBTAINED FROM THE USE THEREOF.